

PRODUCT RANGE

HIGHLIGHTS

Since 1958
MIRPUR CERAMICS
FOR A LIFETIME INVESTMENT

Since 1995
KHADIM CERAMICS
BUILDING A BETTER BANGLADESH

TABLE OF CONTENTS

02 Ceramic Blocks

03 Facing Bricks

04 Clay Claddings

06 Khadim's Roof Tile

08 Pavers Collection

09 Tac Tiles

10 Ornamental Screens

ICONOGRAPHY: Plain Surface | Textured Surface | Non Glazed | Glazed

PRODUCT RANGES

CERAMIC BLOCKS | FACING BRICKS | CLAY CLADDINGS | diseño SERIES | ODYSSEY SERIES | eternal SERIES | fusion SERIES

KHADIM'S ROOF TILE | PAVERS collection | TAC TILES | Ornamental SCREENS | InstaFIX | grout GUARD colourful pointings

Use InstaFIX Clay Binder with grout GUARD for proper application and the best performance

KHADIM MORTARS

For premium installation and masonry services, choose tiler

Disclaimer - All the technical details are at approximate values. Photos may slightly vary in color from the actual product.

CERAMIC BLOCKS



NLB-100-03 (S)

Weight: 2.25 KG
Water Absorption: <5%
Required/100 SFT: 590 pcs



NLB-100-03 (L)

Weight: 4.50 KG
Water Absorption: <5%
Required/100 SFT: 295 pcs




NLB-100-08

Weight: 4.30 KG
Water Absorption: <5%
Required/100 SFT: 185 pcs




NLB-150-09

Weight: 5.90 KG
Water Absorption: <5%
Required/100 SFT: 185 pcs




NLB-200-12

Weight: 7.50 KG
Water Absorption: <5%
Required/100 SFT: 185 pcs



LBB-100-00


Weight: 9.30 KG
Water Absorption: <5%
Required/100 SFT: 113 pcs



LBB-200-02

Weight: 15.00 KG
Water Absorption: <5%
Required/100 SFT: 113 pcs


FACING BRICKS



10 HOLE
BRICK

Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs


AVAILABLE SHADE(S):
Red



3 HOLE
DOUBLE FACING BRICK

Weight: 3.30 KG
Water Absorption: <8.5%
Crushing Strength: >27N/mm²
Required/100 SFT: 500 pcs


AVAILABLE SHADE(S):
Red



CRATER
TEXTURED BRICK

Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs


AVAILABLE SHADE(S):
Red



PEELED
TEXTURED BRICK


Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs

AVAILABLE SHADE(S):
Red




SAND
GRAINED BRICK

Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs



JADE
GRAINED BRICK


Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs



ONYX
GRAINED BRICK

Weight: 3.30 KG
Water Absorption: <5%
Crushing Strength: >45N/mm²
Required/100 SFT: 500 pcs


CLAY
CLADDINGS



CT-5

Weight: 0.40 KG
Water Absorption: <5.5%
MoR: >35N/mm²
Required/100 SFT: 700 pcs


AVAILABLE SHADE(S):
Red



DT-5

Weight: 0.35 KG
Water Absorption: <4%
MoR: >33N/mm²
Required/100 SFT: 700 pcs


AVAILABLE SHADE(S):
Red Beige Grey



DT-18

Weight: 0.22 KG
Water Absorption: <3%
MoR: >28N/mm²
Required/100 SFT: 700 pcs


AVAILABLE SHADE(S):
Beige Grey



DT-16

Weight: 0.43 KG
Water Absorption: <4%
MoR: >33N/mm²
Required/100 SFT: 530 pcs


AVAILABLE SHADE(S):
Red Beige Grey



LIMESTONE

Weight: 1.60 KG
Water Absorption: <5.5%
MoR: >28N/mm²
Required/100 SFT: 150 pcs

AVAILABLE SHADE(S):
Red Beige Grey



KLINKER
FACING STRIP

Weight: 1.00 KG
Water Absorption: <7.5%
Crushing Strength: >45N/mm²
Required/100 SFT: 900 pcs

AVAILABLE SHADE(S):
Red

CLAY
CLADDINGS



TERRACOTTA CLADDING

Thickness: 0.32” (8mm)
Water Absorption: <5.5%
MoR: >25N/mm²

AVAILABLE SHADE(S):

Red Beige Grey

AVAILABLE SIZES


T1

Weight: 3.35 KG
Required/100 SFT: 57 pcs




T2

Weight: 1.60 KG
Required/100 SFT: 116 pcs



T3

Weight: 2.67 KG
Required/100 SFT: 72 pcs



T4

Weight: 1.33 KG
Required/100 SFT: 145 pcs



T5

Weight: 1.60 KG
Thickness: 0.4” (10mm)
Required/100 SFT: 100 pcs




T6

Weight: 0.85 KG
Required/100 SFT: 235 pcs




T7

Weight: 0.78 KG
Required/100 SFT: 290 pcs




T8

Weight: 0.78 KG
Required/100 SFT: 325 pcs



T9

Weight: 0.55 KG
Required/100 SFT: 310 pcs




KHADIM'S ROOF TILE



CLASSIC TAYLOR (S)

Weight: 0.55 KG
Water Absorption: <4%
Required/100 SFT: 550 pcs


AVAILABLE SHADE(S):
Red Beige Grey



CLASSIC TAYLOR (M)

Weight: 0.88 KG
Water Absorption: <4%
Required/100 SFT: 293 pcs


AVAILABLE SHADE(S):
Red



CLASSIC TAYLOR (L)

Weight: 1.55 KG
Water Absorption: <4%
Required/100 SFT: 160 pcs


AVAILABLE SHADE(S):
Red



GLAZED SERIES (L)

Weight: 1.55 KG
Water Absorption: <5.5%
Required/100 SFT: 160 pcs

AVAILABLE SHADE(S):
Red Blue
Green Grey



SUPER TAYLOR

Weight: 3.00 KG
Water Absorption: <5.5%
Required/100 SFT: 95 pcs

AVAILABLE SHADE(S):
Red



FLOWER DESIGN

Weight: 0.50 KG
Water Absorption: <3%
Required/100 SFT: 775 pcs

AVAILABLE SHADE(S):
Red Beige Grey

KHADIM'S
ROOF TILE



CHANNEL B

Weight: 0.65 KG
Water Absorption: <5.5%
Required/100 SFT: 410 pcs


AVAILABLE SHADE(S):
Red Beige Grey



CHANNEL C

Weight: 0.65 KG
Water Absorption: <5.5%
Required/100 SFT: 410 pcs


AVAILABLE SHADE(S):
Red Beige Grey



RIDGE (S)

Weight: 0.55 KG
Water Absorption: <6%
Required/100 SFT: 160 pcs


AVAILABLE SHADE(S):
Red Beige Grey



RIDGE (L)

Weight: 1.62 KG
Water Absorption: <6%
Required/100 SFT: 140 pcs


AVAILABLE SHADE(S):
Red Beige Grey



SUPER RIDGE

Weight: 2.40 KG
Water Absorption: <5.5%
Required/100 SFT: 115 pcs

AVAILABLE SHADE(S):
Red Beige Grey




RIDGE GLAZED (L)

Weight: 1.76 KG
Water Absorption: <5.5%
Required/100 SFT: 140 pcs

AVAILABLE SHADE(S):
Red Blue
Green Grey


PAVERS
collection



CT-6 (PLAIN)

Weight: 0.70 KG
Water Absorption: <5%
MoR: >28N/mm²
Required/100 SFT: 450 pcs


AVAILABLE SHADE(S):
Red Beige Grey



CT-6 (ROCK FACE)

Weight: 0.70 KG
Water Absorption: <5%
MoR: >28N/mm²
Required/100 SFT: 450 pcs


AVAILABLE SHADE(S):
Red Beige Grey



CT-3

Weight: 1.25KG
Water Absorption: <5%
MoR: >35N/mm²
Required/100 SFT: 400 pcs


AVAILABLE SHADE(S):
Red Beige



CT-10

Weight: 0.70 KG
Water Absorption: <5%
MoR: >45N/mm²
Required/100 SFT: 615 pcs

AVAILABLE SHADE(S):
Red Beige



SQUARE PAVER (L)

Weight: 1.40 KG
Water Absorption: <5%
MoR: >30N/mm²
Required/100 SFT: 225 pcs


AVAILABLE SHADE(S):
Red Beige Grey



KLINKER PAVER

Weight: 2.10 KG
Water Absorption: <7.5%
Crushing Strength: >60N/mm²
Required/100 SFT: 450 pcs


AVAILABLE SHADE(S):
Red



BULL NOSED

Weight: 2.50 KG
Water Absorption: <5%
MoR: >40N/mm²
Required/100 SFT: 320 pcs


AVAILABLE SHADE(S):
Red



PARKING TILE 55

Weight: 0.42 KG
Water Absorption: <2%
MoR: >40N/mm²
Required/100 SFT: 576 pcs

AVAILABLE SHADE(S):
Cream Charcoal
Silver Pistachio



BUTTON
DESIGN 1

Weight: 2.75 KG
Water Absorption: <5.0%
Crushing Strength: >40N/mm²
Required/100 SFT: 100 pcs


AVAILABLE SHADE(S):
Red Beige



LINEAR
(NON GLAZED)

Weight: 2.75 KG
Water Absorption: <5.0%
Crushing Strength: >40N/mm²
Required/100 SFT: 100 pcs


AVAILABLE SHADE(S):
Red



BUTTON
DESIGN 2

Weight: 2.75 KG
Water Absorption: <5.0%
Crushing Strength: >40N/mm²
Required/100 SFT: 100 pcs


AVAILABLE SHADE(S):
Red



LINEAR
(GLAZED)

Weight: 2.75 KG
Water Absorption: <3.0%
Crushing Strength: >50N/mm²
Required/100 SFT: 100 pcs

AVAILABLE SHADE(S):
Red Yellow




BUTTON
(GLAZED)

Weight: 2.75 KG
Water Absorption: <3.0%
Crushing Strength: >50N/mm²
Required/100 SFT: 100 pcs

AVAILABLE SHADE(S):
Red Yellow

Ornamental SCREENS



DESIGN 1

Weight: 1.90 KG
Water Absorption: <5%
Required/100 SFT: 480 pcs

AVAILABLE SHADE(S):

Red




DESIGN 3

Weight: 1.80 KG
Water Absorption: <5%
Required/100 SFT: 711 pcs

AVAILABLE SHADE(S):

Red




DESIGN 20

Weight: 2.90 KG
Water Absorption: <5%
Required/100 SFT: 400 pcs

AVAILABLE SHADE(S):

Red




DESIGN 25

Weight: 4.00 KG
Water Absorption: <5%
Required/100 SFT: 225 pcs

AVAILABLE SHADE(S):

Red



DESIGN 27

Weight: 3.20 KG
Water Absorption: <5%
Required/100 SFT: 400 pcs

AVAILABLE SHADE(S):

Red

SEP 2026 (5th Ed)

Display & Sales Centers

MIRPUR : 02-41001216, 41001217 | **BANANI** : 02-222260137 | **HATIRPOOL** : 02-9611563 | **UTTARA** : 02-41090947
RAJSHAHI : 01709645236 | **CHATTOGRAM** : 02-333357411, 02-333357477 | **SYLHET** : 02-996632374 | **KHULNA** : 02-477725607

MIRPUR CERAMICS | KHADIM CERAMICS | KHADIM MORTARS | TILER

CORPORATE OFFICE
62, Kalshi Road, Section-12
Mirpur, Dhaka-1216, Bangladesh

marketingco@mcwlbd.com
+88 01730010555

mirpurceramics.com
khadimceramics.com
khadimmortars.com
amartiler.com

/mirpurceramics
/khadimceramicsltd
/khadimmortars
/amartiler